

SEE-LEVEL- AMBER

See the difference with the SEE-LEVEL Illuminator

Brilliant Amber LED Backlighting

- Amber lighting distinguishes liquid from steam
- LED's angle at 45 degrees for easy viewing of liquid level

Innovative Mounting Solution

- No-bolt cover removal
- No flimsy, complicated brackets
- Installs in minutes on any brand gage
- Fits either side of transparent gages

Saves Money

- Electricity savings over incandescent bulbs
- Eliminates time consuming bulb changes
- Lasts 200 times longer than incandescent bulbs
- One Power Supply will illuminate four sections
- Operates in Any Environment
 - NEMA 4X & 8 power supply enclosure
 - Watertight, weatherproof and corrosion resistant
 - Conformal coated LED circuit board

Durable


- Crush tested
- Survives impact
- Positive mounting, no springs or clamps
- No exposed wiring
- Rugged by design



Technical Specifications

| Power Supply115/230 VAC @ 50/60 HZ | LED Estimated Life100,000 hours |
|--|--|
| Power Consumptions<<150 mA @ 115 VAC | CertificationUL1203, UL913, CSA22.2 CL I, DIV 1, Groups B, C, & D |
| Supply Connection | |
| Wire Size14AWG (ground) | |
| Ambient Temperature–40°F (-40°C) to 150°F (65°C) | |
| | |

SEE-LEVEL-AMBER



| MODEL NUMBER | DIMENSION "A" | | |
|-----------------|---------------|-------------|--|
| | INCHES | MILLIMETERS | |
| SLI-51A | 9.5 | 241 | |
| SLI-61A | 10.75 | 273 | |
| SLI-71A | 11.88 | 302 | |
| SLI-81A | 13.5 | 343 | |
| SLI-91A | 14.25 | 362 | |

Steam Gages with multiple sections are staggered, therefore, one power supply will be used for as many as four sections. Five section gages will require an additional power supply.

For example, a ST-1000-73-TB-04-U Steam-Trac gage would use quantity (1) Power Supply for three sections. SLI-71A-115AC-0 Illuminator.





One Section Gage with a Single Power Supply. Three Section Gage with a Single Power Supply.

Quest-Tec Solutions purchased the Daniel Level Gage and Valve product line from Emerson Process in 2001



ISO 9001:2008 Quest-Tec Solutions



A^{*} 47 [12]

.84 [21]

4.50 [114]

Dimension "A": Clearance for Top Cover Edge to Bottom Cover Edge.

Address: 13960 S. Wayside · Houston, TX · 77048 Toll Free Tel: 866.240.9906 · Tel: 281.240.0440 · Fax: 281.240.2440 www. QTSLevel.com · sales@QTSLevel.com